

Immediate and one-month results from a prospective real-world multicentre clinical practice of **CAS** using the **CGuard** embolic prevention system: the **IRONGUARD 2** study

Pasqualino Sirignano

Vascular and Endovascular
Surgery Division
Department of Surgery "Paride Stefanini"
Policlinico Umberto I
"Sapienza" University of Rome
Chief Prof *Francesco Speziale*



Speaker name:

.....**Pasqualino Sirignano**.....

I have the following potential conflicts of interest to report:

- Consulting
- Employment in industry
- Stockholder of a healthcare company
- Owner of a healthcare company
- Other(s)

X I do not have any potential conflict of interest





CLINICAL RESEARCH
INTERVENTIONS FOR HYPERTENSION AND STROKE

Thirty-day results from prospective multi-specialty evaluation of carotid artery stenting using the CGuard MicroNet-covered Embolic Prevention System in real-world multicentre clinical practice: the IRON-Guard study



Francesco Speziale¹, MD; Laura Capoccia^{2*}, MD; Pasqualino Sirignano³, MD; Wassim Mansour⁴, MD; Chiara Pranteda¹, MD; Renato Casana², MD; Carlo Setacci⁵, MD; Federico Accrocca⁴, MD; Domenico Alberti⁶, MD; Gianmarco de Donato¹, MD; Michelangelo Ferri⁶, MD; Andrea Gaggiano⁷, MD; Giuseppe Galzerano⁸, MD; Arnaldo Ippoliti⁴, MD; Nicola Mangialardi⁹, MD; Giovanni Pratesi⁸, MD; Sonia Ronchey⁶, MD; Maria Antonella Ruffino¹⁰, MD; Andrea Siani⁴, MD; Angelo Spinazzola¹¹, MD; Massimo Sponza¹², MD




CGUARD™
Carotid Embolic Prevention System

InspireMD



Starting Point



April 2015 – June 2016
200 enrolled patients
Technical Success: 100%

MACCE=0
5 minor strokes
2 TIAs

EuroIntervention. 2018





CGUARD™
Carotid Embolic Prevention System

InspireMD

SHORT REPORT PERIPHERAL INTERVENTIONS

Twelve-month results of the Italian registry on protected CAS with the mesh-covered CGuard stent: the IRON-Guard study



Laura Capoccia*, MD; Pasqualino Sirignano, MD; Wassim Mansour, MD; Enrico Sbarigia, MD; Francesco Speziale, MD


Vascular and Endovascular Surgery Division, Department of Surgery "Paride Stefanini", "Sapienza" University of Rome, Rome, Italy

This paper also includes supplementary data published online at: http://www.pcronline.com/eurointervention/143rd_issue/206

No major neurological event

No stent thrombosis

No ECA occlusion




NEW registry:

733 Patients

in 20 enrolling Italian Centers



Demographic



Age: 73.03 ± 7.84 yy (48-97)

Male Gender: 516 (70.39%)

Tobacco Abuse:	439 (58.52%)
Diabetes:	264 (36.01%)
Hypertension:	622 (84.85%)
Dyslipidemia:	429 (58.52%)
CAD:	278 (37.92%)

Unpublished Data






131/733 patients (17.87%)
were symptomatic

96 TIA (73.28%)

23 Minor Stroke (17.55%)

12 Major Stroke (9.17%)



Unpublished Data






Stenosis

84.97 ± 6.51%

(50-99)




Unpublished Data



Plaques Composition




Hyperechoic	163 (22.2%)
Hypoechoic	181 (24.7%)
Isoechoic	107 (14.6%)
Disomogeneous	172 (23.4%)
Ulcerated	40 (5.5%)
Thin fibrous Cap	29 (4%)
Post-CEA restenosis	41 (5.6%)



>50% presented an high-risk carotid plaque

Unpublished Data





Type I	369 (50.3%)
Type II	268 (36.6%)
Type III	39 (5.3%)
Bovine	57 (7.8%)

**All aortic arch morphologies
were enrolled in the study**


Unpublished Data





Thrombosis	20%
Calcifications	27.1%
Moderate/Severe Tortuosity	34.6%


1/3 of enrolled patients presented significant supra-aortic vessels tortuosity



Unpublished Data



Almost in all cases a **transfemoral approach** was chosen (**97.27%**), while also brachial (1.63%) and transcervical approaches (1.11%) are reported



Unpublished Data




Embolic Protection Device was adopted in **99.72%** of patients:
proximal occlusion device (Mo.Ma.) in 14.62%, and distal filter
in 80.9%

Unpublished Data

Procedural success 100%

Technical success was obtained in all but one patient (99.86%) due to the impossibility to advance the CGuard EPS system: patient was consequently treated by Carotid WallStent



Unpublished Data



1 fatal haemorrhagic stroke

(urgent Patient treated for cTIA)


2 Minor Strokes

6 TIAs

1 AMI

No Death

8 ECA occlusions (1.09%)



Unpublished Data






1 Minor Stroke

2 TIAs

3 AMI

No Death

No stent thrombosis/occlusions



Unpublished Data






@ 1 Month Results

Stroke rate 0.54%

(3 Minor Strokes, 1 haemorrhagic)

TIA rate 1.09%

Cumulative neurological event rate 1.63%



Unpublished Data



Data available on **253 Pts**

2 new MACE: 2 IMAs (fatal), no new neurological event

7 Deaths: 2 AMI, 4 neoplasms

1 Suicide

ACE patency 95.65%



Unpublished Data



On going analysis!!!



Thanks to everyone!



P.I. Francesco Speziale

Laura Capoccia
Michelangelo Ferri
Bruno Gossetti
Franco Intrieri
Arnaldo Ippoliti
Wassim Mansour
Paolo Mortola

Domenico Palombo
Sonia Ronchey
Massimo Ruggeri
Maria Antonella Ruffino
Pasqualino Sirignano
Francesco Spinelli
Eugenio Stabile
Massimo Sponza
Maurizio Taurino





Symposium Chairman

Francesco Speziale

Symposium Co-Chairman

Enrico Sbarigia

Scientific Secretariat

Wassim Mansour

Pasqualino Sirignano



ROMA
CAPVT
MUNDI

Carotid Aortic Peripheral Vascular Treatment

MAY, 12th - 13th 2020

NH Vittorio Veneto, Corso d'Italia, 1 - Rome

Save the date



Vascular and Endovascular Surgery Division - "Sapienza" University of Rome



Immediate and one-month results from a prospective real-world multicentre clinical practice of **CAS** using the **CGuard** embolic prevention system: the **IRONGUARD 2** study

Pasqualino Sirignano

Vascular and Endovascular
Surgery Division
Department of Surgery "Paride Stefanini"
Policlinico Umberto I
"Sapienza" University of Rome
Chief Prof *Francesco Speziale*